

FIG. 1A




FIG. 1B




FIG. 2

301

K Policy Generator

File Help

☐ ☐ ☐ ☐

Community	Policy Domains	Rules	Service
Name	Includes	Excludes	Description
Inside_Nodes	10.0.0.0/8		The Hosts in out Intranet
Outside_Nodes		Inside_Nodes	All hosts in the Intranet

☐ New

FIG. 3




FIG. 4A




FIG. 4B

SPM: Argument Selector Dialog

Monitor configuration

Input dump file: C:\qs.dmp 501 Browse

Policy: C:\null.spm 502 Browse

Monitorig Point: INTRANET\_MONITOR 503  
(comma separated)

Monitor Logging Options

Execution Run Comment:

ODBC name: sybase 504

DB Username: policy 505

DB Password: \*\*\*\*\* 506 ☒ Save Password [insecure]

Output Options

☐ Output to console:

☒ Output to file: C:\output.txt Browse

Run 507 Exit Advanced Help

Progress

nPkts 100% 0%

FIG. 5




FIG. 6




FIG. 7



K Rule View		X	
Execution Run:		1999-10-01 14:30:20.0 C:\.bmp	
Final Rule Name:		<Any Rule>	
Disposition Name:		<Any Disposition>	
Disposition Codes: <input type="checkbox"/> Access Denied <input type="checkbox"/> Auth Violation <input type="checkbox"/> Security Attack <input type="checkbox"/> Security QOS <input type="checkbox"/> Policy Error <input type="checkbox"/> OK			
Disposition Severity: <input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Monitor <input type="checkbox"/> Warning <input type="checkbox"/> Information <input type="checkbox"/> <none>			
Query			
Rows		Done	Edit SQL
		Copy Row	Copy Deep

FIG. 8

K Rule View		X				
Execution Run:		1999-10-01 14:30:20.0 C:\.bnp				
Final Rule Name:		<Any Rule>				
Disposition Name:		<Any Disposition>				
Disposition Codes:		<input type="checkbox"/> Access Denied <input type="checkbox"/> Auth Violation <input type="checkbox"/> Security Attack <input type="checkbox"/> Security QOS <input type="checkbox"/> Policy Error <input type="checkbox"/> OK				
Disposition Severity:		<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Monitor <input type="checkbox"/> Warning <input type="checkbox"/> Information <input type="checkbox"/> <none>				
Query						
Rule Name	Disposition Name	Initiator IP	Init Name	Target IP	Targ Name	Targ Service
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.security.com	10.5.63.6	dude.security.com	domain
HtIp_Deny	HtIp_Access_Denied	10.5.63.143	vg-143.security.com	208.178.27.198	http	http
HtIp_Deny	HtIp_Access_Denied	10.5.63.143	vg-143.security.com	208.178.27.201	http	http
HtIp_Deny	HtIp_Access_Denied	10.5.63.143	vg-143.security.com	208.178.27.198	http	http
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.security.com	10.5.63.6	dude.security.com	domain
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.security.com	10.5.63.6	dude.security.com	domain
HtIp_Deny	HtIp_Access_Denied	10.5.63.143	vg-143.security.com	204.71.200.68	www3.yahoo.com	http
Udp_Deny	Udp_Access_Denied	10.5.63.143	vg-143.security.com	10.5.63.6	dude.security.com	domain
HtIp_Deny	HtIp_Access_Denied	10.5.63.143	vg-143.security.com	10.5.63.97	kabale.security.com	http
Top_Missed_Connections	Warn_Missed_Top_Connect	10.5.63.143	vg-143.security.com	10.5.63.24	fred.security.com	netbios-ssn
<div> <div>Rows 10</div> <div>Done</div> <div>Edit SQL</div> <div>Copy Row</div> <div>Copy Deep</div> </div>						


FIG. 9

K Policy Generator				<input type="button" value="-"/> <input type="button" value="X"/>	
File Help					
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>					
Community		Policy Domains		Rules Service	
Select Policy Domain Policy Domain: <input type="text" value="Intranet"/>					
Identify New or Existing Rule in Intranet Rule Name: <input type="text" value="Internal_Dns"/> <input type="button" value="New"/> <input type="button" value="Delete"/>					
Add Elements to Internal_Dns Description: <div> <input type="text"/> <input type="button" value="Set"/> </div>					
Initiators: <div> <input checked="" type="checkbox"/> Intranet ==           <div>             Inside_Nodes              ... Firewall ...              Outside_Nodes           </div> </div>		Services: <div> <input type="text"/> <div>             AUTH              BOOTP_CLIENT              BOOTP_SERVER              DNS              FINGER           </div> </div>		Targets: <div> <input type="text"/> <div>             Intranet ==              Inside_Nodes              ... Firewall ...              Outside_Nodes           </div> </div>	
<input type="button" value="Add Selected"/>		<input type="button" value="Add Selected"/>		<input type="button" value="Add Selected"/>	
Rule Contents for Internet* Dns					
Initiators: <div> <input type="text"/> <div>             &lt;Any&gt; </div> </div>		Services: <div> <input type="text"/> <div>             &lt;Any&gt; </div> </div>		Targets: <div> <input type="text"/> <div>             &lt;Any&gt; </div> </div>	
<input type="button" value="Add Selected"/>		<input type="button" value="Add Selected"/>		<input type="button" value="Add Selected"/>	

K Policy Generator				<input type="button" value="-"/> <input type="button" value="X"/>	
File Help					
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>					
Community		Policy Domains		Rules Service	
Select Policy Domain: <input type="text" value="Intranet"/>					
Identify New or Existing Rule in Intranet <input type="text" value="Rule Name: Internal_Dns"/> <input type="button" value="New"/> <input type="button" value="Delete"/>					
Add Elements to Internal_Dns <input type="text" value="Description: Allow DNS to be served from any internal host"/> <input type="button" value="Set"/>					
Initiators:		Services:		Targets:	
<input type="text" value="Intranet"/> <input type="button" value="Add Selected"/>		<input type="text" value="AUTH"/> <input type="button" value="Add Selected"/>		<input type="text" value="Intranet"/> <input type="button" value="Add Selected"/>	
<input type="text" value="Inside_Nodes"/> <input type="button" value="Add Selected"/>		<input type="text" value="BOOTP_CLIENT"/> <input type="button" value="Add Selected"/>		<input type="text" value="Inside_Nodes"/> <input type="button" value="Add Selected"/>	
<input type="text" value="... Firewall ..."/> <input type="button" value="Add Selected"/>		<input type="text" value="BOOTP_SERVER"/> <input type="button" value="Add Selected"/>		<input type="text" value="... Firewall ..."/> <input type="button" value="Add Selected"/>	
<input type="text" value="Outside_Nodes"/> <input type="button" value="Add Selected"/>		<input type="text" value="DNS"/> <input type="button" value="Add Selected"/>		<input type="text" value="Outside_Nodes"/> <input type="button" value="Add Selected"/>	
<input type="text" value="FINGER"/> <input type="button" value="Add Selected"/>					
Rule Contents for Internet* Dns <input type="text" value="Initiators: Inside_Nodes"/> <input type="button" value="Add Selected"/>					
Services: <input type="text" value="DNS"/> <input type="button" value="Add Selected"/>					
Targets: <input type="text" value="Inside_Nodes"/> <input type="button" value="Add Selected"/>					

K Policy Generator				
File Help				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Community	Policy Domains	Rules	Service	
Name	Includes	Excludes	Description	
Inside_Nodes	10.0.0.0/8		The Hsts in out Intranet <input type="checkbox"/>	
Outside_Nodes		Inside_Nodes	All hsts in the Intranet <input type="checkbox"/>	
<div> <input type="checkbox"/> New           <input type="button" value="X"/> Delete           <input type="button" value="Find Uses"/> </div>				

FIG. 10C

*FIG. 11*




FIG. 12




FIG. 13






FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18





FIG. 19

FIG. 20






FIG. 21

FIG. 22

23/33




FIG. 23






FIG. 24

10E270-20992860

Internet Explorer - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Address Bar: http://www.microsoft.com/

History Favorites Search

Links Malware Welcome OIM.com Customize Links Free Trial

Go

profile log out help

# Dashboard • Policy History

## Protocol Service

server time: 12.26.00 9:21 PST

Protocol Event Details

Http Servers\_Response / Unauthorized\_Access\_To\_Url  
ACCESS\_VIOLATION / CRITICAL

Print Version

Select Protocol - Action

- IP-ASSOCIATION
- TCP-CONNECT
- HTTP-GET
- HTTP-RESPONSE
- TCP-CLOSE

IP - ASSOCIATION	
Protocol	Target
IPAddr32 212.210.11.4	209.143.242.119
Port 2135	80
IPAddr 000326D93C00000	0050DA16E97C0000
IPProtid 6	6

© 2000 Security, Inc. All Rights Reserved. Copyright info

Internet Explorer - show all layers (Protocol), show, Protocol, hide, Protocol, hide, Protocol

My Computer




FIG. 25

FIG. 26





FIG. 27



-2801

FIG. 28




FIG. 29

31/33




FIG. 30

Advanced Search - Microsoft Internet Explorer

Address <https://> Go

## SECURITY

Advanced Search

Filter results by One or All of the following:

Protocol **none** 3102

Rule **none** 3104

or   
(regular expression in Rule)

Disposition **none** 3103

or   
(regular expression in Disposition)

Source IP  3106

Target IP  3106

TargetPort

Monitor(s)

All Monitors

INTRANET\_LOCAL\_MONITOR

INTRANET\_MONITOR

PARTNER\_A\_MONITOR

**Submit**

3101

3100

© 2000, 2001 Security, Inc. All Rights Reserved.  
Copyright info

FIG. 31



FIG. 32

